


FABRIC-MASTER RE-ROLLER



**THE ONLY FABRIC RE-ROLLING
AND MEASURING DEVICE
YOU'LL EVER NEED**

Step 1

Adjust Fabric Stops to Fabric Size.



Put the fabric stop in the position that lines the fabric straight in the hoop and corresponds with the size of the fabric and/or tube.



IMPORTANT NOTE:

Always place fabric stop in 2nd position from outside of hopper table (this only applies to TRUMETER side of table).

Step 2

Flip TRUMETER up, slide fabric under TRUMETER.



TRUMETER Should flip up so bottom of TRUMETER is exposed at this stage of re-rolling.

Step 3

Flip TRUMETER down to measuring position & reset TRUMETER to zero.



Fabric should be pulled past cutting groove before TRUMETER is flipped to measuring position. This allows for accurate and straight cuts.

Step 4

Pull fabric about 2" past outside edge of pulling table.



If you reset TRUMETER at stage 3 you have already measured approximately 1/2 yard of goods.

STEP 5

Put tube in pull table on fabric.



Step 6

FLIP FABRIC OVER TUBE & TUCK UNDER. BE SURE TUBE IS RESTING ON BACK TWO ROLLERS OF PULL TABLE.



FLIP FABRIC OVER TUBE AT THIS STAGE.



FLIPPED AND TUCKED FABRIC RESTING ON BACK TWO ROLLERS.

Step 7

Roll forward to front two rollers.



(This is the best position to begin rolling)

STEP 8

Set speed to your preference.



Set speed by turning the speed control knob.

NOTE: Due to the high torque of the motor, often the speed control knob has to be set between 20 and 40 for it to begin pulling at a very slow speed. Once you have determined the slowest speed possible on your control, any higher setting will make the re-roller run faster.

Step 9

Begin re-rolling by pressing foot switch.

Important Note: Amount of pressure applied by hands will dictate the tightness of roll.



Use alternating hand pressure (Left-Right or Right-Left) as you roll. This keeps the roll tight.



NOTE OF ENCOURAGEMENT: The more you roll, the faster and more comfortable you will become.

Step 10

Once you reach desired yardage, flip TRUMETER UP.



READ YARDAGE ON TRUMETER. Flip so bottom of TRUMETER is exposed.

STEP 11

Place scissor in cutting groove and cut fabric



If you have a really good pair of scissors, just slide them through the cutting groove.
(This really looks professional)

**You have just mastered the art of
fabric measuring and re-rolling with the
FABRIC-MASTER RE-ROLLER**